



Client Information			
Date:		P.O. #:	
Last Name:		First Name:	
Ordered by:			
Establishment:			
Address:			
Phone:		Fax:	
Email address:			
Price Specification Technical Specification	➔	Order confirmation by email	Yes ☐ No ☐
		Subscribe to Physipro™ newsletter	Yes ☐ No ☐
		Factory installation of postural aids	Yes ☐ No ☐

MODEL						
PRODUCT	DESCRIPTION		CODE	PRICE	CHOICE	
Neox 4-wheel	4-wheel tilt-in-space wheelchair - 45° For seat widths between 14" and 22". Maximum load capacity of 265 lbs. Tilting mechanism from -5° to 45°. Frame color : Silver		 CRASH TEST CERTIFIED /OCCUPIED	NGNX1	\$2495	☐
Neox 6-wheel	Mid-wheel drive option. Rear tilt mechanism facilitates getting over obstacles or elevation changes. ▲ A1 - Not funded by AADL, client cost.			NGNX2TR...	\$965 ▲	☐
MAIN OPTIONS						
ANTERIOR TILT LOCKING COLLAR : Not compatible with power tilt.						
Tilt Mechanism	Anterior tilt locking collar ➔ Desired angle: _____°		NX82	\$120	☐	
Power Tilt	Maximum tilt limited at 45° (Maximum weight capacity 265 lbs) ▲ A1 - Not funded by AADL, client cost.		NGNXPWT	\$1700 ▲	☐	
	Toggle switch position: Front toggle switch ☐ Top Toggle switch ☐ Left toggle switch ☐ Right Toggle switch ☐				☐	
SEAT STRUCTURE						
Rigid seat plate	Rigid aluminium seat pan, adjustable in depth, with two 2-inch wide velcro "hook" strips.		NGNX5	N/C	☐	
FIXED EFFECTIVE SEAT WIDTH						
Standard Frame (Max 265 lb)	14" ☐ 15" ☐ 16" ☐ 17" ☐ 18" ☐ 19" ☐ 20" ☐		NGNXQ...	N/C	←	
	21" ☐ 22" ☐					
OVERALL WIDTH (INFORMATION CHART) Spoke wheel: Seat width + 10 ¼" Mag wheel: Seat width + 11 ¼"						
ADJUSTABLE EFFECTIVE SEAT DEPTH						
Standard Frame	14" ☐ 15" ☐ 16" ☐ 17" ☐ 18" ☐		NGNXQ...	N/C	←	
Extended Frame	19" ☐ 20" ☐ W111			\$205		
	21" ☐ 22" ☐ W111			\$345		

4 WHEEL NEOX - SEAT-TO-FLOOR HEIGHT, CASTERS AND WHEELS

SEAT-TO-FLOOR INFORMATION TABLE - (4 WHEEL MODEL)

PROPULSION & REAR WHEELS	CASTER WHEELS	SEAT-TO-FLOOR HEIGHT
12"	S5"	13" to 18"
	S6"	14" to 19"
	S8"	15" to 20"
20"	S5", D5"	13" to 18"
	S6"	13" to 18"
22"	S6", D6"	14" to 19"
	S8"	15" to 20"
24"	S8", D6"	15" to 20"

SEAT-TO-FLOOR HEIGHT - (4 WHEEL MODEL)

Please select the desired seat-to-floor height.	13"	☐
	14"	☐
	15"	☐
	16"	☐
	17"	☐
	18"	☐
	19"	☐
	20"	☐

DEFINITION

S5" - S6" - S8"	Standard Front Fork with height adjustment
D5" - D6"	Dynamic Front Fork with height adjustment

CASTERS AND WHEELS (4-WHEEL MODEL)

FRONT CASTERS						
PRODUCT	DESCRIPTION			CODE	PRICE	CHOICE
Dynamic Front Forks	Dynamic forks with height adjustments ⚠️ A1 - Not funded by AADL, client cost.			NXDYNFR	\$192 Pair ⚠️	☐
Front Caster Tires	Polyurethane	5" x 1½" ☐	6" x 1½" ☐	8" x 1½" ☐	WHUN-	N/C ⬅️
PROPULSION WHEELS						
Rims	Mag Wheel			NX52MA	N/C	☐
	Spoke Wheel			NX52SW	N/C	☐
Tires	Diameter	20" ☐	22" ☐	24" ☐	-	- ⬅️
	Polyurethane			NX53UR	N/C	☐
	Standard pressure			NX53SP	\$80 Pair	☐
Handrims	Aluminium			NX44	N/C	☐
	Plastic Coated			NX45	\$130 Pair	☐
	½-inch closer adjustment (Reduce overall width by 1")			-	-	☐
	Omit (Reduce overall width by 1 ½")			-	-	☐
Axles	Threaded Axles			NGNX47	N/C	☐
	Quick-release Axles			NGNX48	\$92 Pair	☐
REAR WHEELS						
Rear wheels	Size	12"		...1200	N/C	☐
	Tires	Polyurethane		WHUN-	N/C	☐
		Standard pressure		WHPG-	N/C	☐

MID-WHEEL DRIVE OPTION - SEAT-TO-FLOOR HEIGHT, CASTERS AND WHEELS

SEAT-TO-FLOOR INFORMATION TABLE - (6 WHEEL MODEL)

PROPULSION WHEELS	CASTER WHEELS	SEAT-TO-FLOOR HEIGHT
20"	D5"	13" to 18"
22"	D6"	14" to 19"
24"	D6"	15" to 20"
DEFINITION		
D5" - D6"	Dynamic Front Fork with height adjustment	

SEAT-TO-FLOOR HEIGHT - (6 WHEEL MODEL)

Please select the desired seat-to-floor height.	13"	☐
	14"	☐
	15"	☐
	16"	☐
	17"	☐
	18"	☐
	19"	☐
➔	20"	☐

CASTERS AND WHEELS - (6 WHEEL MODEL)

Note	Front caster wheel size is determined during assembly according to the selected propulsion wheel diameter.						
PROPULSION WHEELS							
PRODUCT	DESCRIPTION			CODE	PRICE	CHOICE	
Rims	Mag Wheel			NX52MA	N/C	☐	
	Spoke Wheel			NX52SW	N/C	☐	
Tires	Diameter	20" ☐	22" ☐	24" ☐	-	-	☒
	Polyurethane			NX53UR	N/C	☐	
	Standard pressure			NX53SP	\$80 Pair	☐	
Handrims	Aluminium			NX44	N/C	☐	
	Plastic Coated			NX45	\$130 Pair	☐	
	½-inch closer adjustment (Reduce overall width by 1")			-	-	☐	
	Omit (Reduce overall width by 1 ½")			-	-	☐	
Axles	Threaded Axles			NGNX47	N/C	☐	
	Quick-release Axles			NGNX48	\$92 Pair	☐	

WHEEL LOCKS

Wheel locks	Push to lock	NGNX29	N/C	☐
	Pull to lock	NGNX55	N/C	☐
	Attendant Wheel Lock (Foot Operated Brake)	NX32	\$485	☐
Extensions	Standard Wheel Lock Extension - 6"	NGNX30	\$40 Pair	☐
	Telescopic Wheel Lock Extension - 6"	NGNX31	\$60 Pair	☐

ANTI-TIPS


Anti-Tips	Aluminium anti-tips (available for 4 Wheel model only)	NGNX40A	N/C	☐
		NGNX40B		

BACK POSTS									
Notes	All back post are adjustable in angle and height by increments of 1".								
PRODUCT	DESCRIPTION						CODE	PRICE	CHOICE
Standard Back Posts (with grip handles)	Medium	16" ☐	17" ☐	18" ☐	19" ☐	20" ☐	NGNXH1620	N/C	←
	Long	21" ☐	22" ☐	23" ☐	24" ☐	25" ☐	NGNXH2125	\$95 Pair	
Dynamic Back Posts	Medium	18" ☐	19" ☐	20" ☐	21" ☐	22" ☐	NGNXDYNA	\$575 Pair	←
	Long	23" ☐	24" ☐	25" ☐	26" ☐	27" ☐			
	⚠ A1 - Not funded by AADL, client cost.								
BACKREST TYPE									
🔧	RECLINING GAS SPRING BACKREST: Compatible with the Standard back posts only.								
Backrest Type	Reclining Gas Spring Backrest (85° to 130°) 🔧 ⚠ A1 - Not funded by AADL, client cost.						NGNXREC	\$1100 ⚠	☐
BACKREST ANGLE									
🔧	115°& 120° BACKREST ANGLES: Not compatible with Dynamic Back posts.								
Backrest Angle	Ajustable in increment of 5° 85° ☐ 90° ☐ 95° ☐ 100° ☐ 105° ☐ 110° ☐ 115° ☐ 🔧 120° ☐ 🔧						-	N/C	←
STROLLER BAR									
Stroller Bar	Angle adjustable stroller bar						NGNX9...	N/C	☐
ARMREST									
Notes	"T" TYPE ARMREST: Removable armrests, adjustable in height by increments of ½", includes locking mechanism and clothing guards. Provides ¼" clearance on each side. "T" TYPE ARMREST is strongly recommended to optimize the tilt angle.								
"T" Type Armrest	Lowered: Adjustable from 6 ¾" to 10 ½"						08-TAQ1-	N/C	☐
	Standard: Adjustable from 8" to 12 ½"						08-TAQ2-	N/C	☐
	Elevated: Adjustable from 10" to 14 ½"						08-TAQ3-	N/C	☐
"T" Type Armrest Pads	Foam Pad - Desk length (2 ¼" x 10")						...-FS	N/C	☐
	Foam Pad - Full length (2 ¼" x 14")						...-FL	N/C	☐
Armrest Extension	3" Armrest pad extension						PH-03046	\$124 Pair	☐
Notes	"U" TYPE ARMREST: Removable, flip-back armrests, adjustable in height by increments of ½", includes locking mechanism and clothing guards. Provides ½" clearance on each side. "U" TYPE ARMREST: The "U" type armrest can significantly limit tilt angle. "U" TYPE ARMREST: Not available with the reclining gas spring backrest. LOWERED "U" TYPE ARMREST: Not available with a wheelchair configured at a 14" or 15" depth.								
	Lowered - Adjustable from 6 ¾" to 9 ½"						NGNX11...	\$263 Pair	☐
	Standard - Adjustable from 8 ½" to 13"						NGNX10...	N/C	☐
	Elevated - Adjustable from 12" to 16 ½"						NGNXM13	\$263 Pair	☐
"U" Type Armrest Pads	Foam Pad - Desk lenght (2 ¼" x 10")						NGNX13	N/C	☐
	Foam Pad - Full lenght (2 ¼" x 14")						NGNX12	N/C	☐
Armrest Extension	3" Armrest pad extension						PH-03046	\$124 Pair	☐

FOOTREST										
Note	Footrest can be swivelled inwards or outwards, is removable and is equipped with a locking mechanism. Adjustable in length from 10 1/2" to 21" by increments of 1/2". Minimal length of the 60° footrest is 11 1/4".									
PRODUCT	DESCRIPTION					CODE	PRICE	CHOICE		
Footrest Angle	60°					NGNX60	N/C	☐		
	70°					NGNX70	N/C	☐		
	90°					NGNX90	\$149 Pair	☐		
Footrest Length	Small:	10 1/2" to 13". Specify desired length: _____" (± 1/4")				...-S	N/C	←		
	Medium:	12" to 17". Specify desired length: _____" (± 1/4")				...-M				
	Long:	16" to 21". Specify desired length: _____" (± 1/4")				...-L				
ELEVATING AND ARTICULATING LEGREST										
Note	The elevating and articulating legrest is equipped with a locking mechanism and can be installed on the same fittings as the removable footrest.									
Elevating and Articulating Legrest Length	X-Small:	12" ☐	13" ☐	14" ☐	NGNX65		\$545 Pair W106	←		
	Small:	14" ☐	15" ☐	16" ☐	NGNX15					
	Medium:	17" ☐	18" ☐	19" ☐	NGNX16					
	Long:	20" ☐	21" ☐	22" ☐	NGNX66					
CALF SUPPORTS										
	Calf support is included with the elevating and articulating legrest.									
Note	Calf support is adjustable in height, depth and angle.									
Calf Supports	6" x 8" - Flat Padding 					NGNX18	N/C	☐		
	6" x 8" - Profiled Padding 					NGNX20	N/C	☐		
FOOTPLATES										
Flip-Up Footplates	Aluminium footplates, 6" X 8"					NGNX39	N/C	☐		
	Aluminium footplates, 7" X 8"					NGNX58	N/C	☐		
Flip-up & Adjustable Footplates	Aluminium footplates with angle and depth adjustments					NGNX27	\$180 Pair W107	☐		
	Size:	6" X 6 3/4"								
Oversized Flip-up Footplate with Angle and Depth Adjustment	Footplate Sizes	Seat Width						NGNX...X...	\$195 Pair W107	←
		14"	15"	16"	17"	18"	19" +			
	5" x 9"	☐	☐	☐	☐	☐	☐			
	6" x 9"		☐	☐	☐	☐	☐			
	6" x 10"		☐	☐	☐	☐	☐			
	7" x 9"		N/A	☐	☐	☐	☐			
	7" x 10"			☐	☐	☐	☐			
	8" x 9"			☐	☐	☐	☐			
8" x 10"	☐	☐	☐	☐	☐					
One Piece Flip-up Footplate	Aluminium footplate with angle and depth adjustments					FW...	\$350 W107	←		
	Depth:	6" ☐	8" ☐	10" ☐						
Heel Support Strap	Adjustable in length					NGNX28	N/C	☐		

PELVIC POSITIONING BELT				
PRODUCT	DESCRIPTION	CODE	PRICE	CHOICE
Positioning Belt	Pelvic positioning belt with auto-style buckle, 2" AADL Generic	NGNX41	\$22	☐
REFLECTIVE SAFETY STICKERS				
Reflective safety stickers	Sticker pack includes 2 reflective white stickers and 2 reflective red stickers ⚠ A1 - Not funded by AADL, client cost.	NGNX74	\$12 ⚠	☐
ADAPTED TRANSPORT SECUREMENT POINTS				
Securement Points	 4 Tie-down strap securement points for adapted transport, Certified ISO/DIS 7176-19:2019, occupied. ⚠ A1 - Not funded by AADL, client cost.	NGNX42	\$95 ⚠	☐
OXYGEN TANK HOLDER				
Oxygen Tank Holder	Compatible with size D and E oxygen tanks only Not compatible with the stroller bar	NX43	\$180 W110	☐
TENSION BARS				
Tension Bars	Standard Tension Bar	NGNX87	N/C	☐
	2-inch Deep Tension Bar	NGNXQ57	N/C	☐
	Tension Bar with Height Adjustable Headrest Support Mounting Fixture	NGNXHSUP	\$94	☐

DETERMINATION OF TILT ANGLE ACCORDING TO THE CHOSEN WHEELCHAIR CONFIGURATIONS		
		INCLINATION ANGLE (+/-1°)
TILT MECHANISM POSITION (STFH)	6 (13")	34°
	6 (14")	39°
	6 (15")	43°
	5 (16")	45°
	4 (17")	45°
	3 (18")	45°
	2 (19")	45°
	1 (20")	45°
Notes	The U-shaped armrest, the reclining backrest and the dynamic back posts can influence the results. The attendant wheel lock and an oxygen tank holder may also impact the tilt angle results.	
	The position number of the tilt mechanism can vary according to the selected propulsion wheel diameter.	



Notes :

SEATING BENEFITS										
SEAT CUSHIONS										
	BRIO & ULTRA: Cushion will be made for flat cut installation only and include one stretch cover and one incontinence cover.									
	DIMENSIONS: The width and depth must be the same as the dimensions selected in the <i>Fixed effective seat width</i> and <i>Adjustable seat depth</i> sections on page 1.									
DIMENSIONS 	Please indicate the width and depth of the seat cushion.					→	Width: _____" Depth: _____"			
PRODUCT	DESCRIPTION					CODE	PRICE	CHOICE		
 Brio Cushion 	Brio - Standard sizes: 14" x 14" - 16" x 16" - 16" x 18" - 18" x 16" - 18" x 18" - 20" x 20"					S2950-...	\$315	☐		
	Non-standard size - Max.: 21" x 21"						\$400	☐		
 Ultra Cushion  with Viscose top layer	Ultra - Standard sizes: 14" x 14" - 16" x 16" - 16" x 18" - 18" x 16" - 18" x 18" - 20" x 20"					S1266-...	\$350	☐		
	Non-standard sizes - width of 19" and less.						\$350	☐		
	Non-standard sizes - width of 20" and over.						\$540	☐		
Urethane & Memory Foam Cushion	Cushion will be made for flat cut installation only and include one waterproof cover.					S3350-...	\$126			
	Thickness: 2" ☐ 3" ☐ 4" ☐									
BACKRESTS										
	WIDTH: The backrest width must be the same as the fixed effective seat width.									
PRODUCT	DESCRIPTION					CODE	PRICE	CHOICE		
	WIDTH 			HEIGHT						
 Contour Cinch	14" ☐	16" ☐	18" ☐	16" ☐	18" ☐	20" ☐	CINCH...	\$595		
	15" ☐	17" ☐	19" ☐	16" ☐	18" ☐	20" ☐		\$790		
	20" ☐	21" ☐	22" ☐	23" ☐	16" ☐	18" ☐		20" ☐		\$895
	24" ☐	25" ☐	26" ☐							
 Valdis	16" ☐	17" ☐	18" ☐	18" ☐	20" ☐	22" ☐	D5250...	\$350		
	14" ☐	15" ☐	16" ☐	14" ☐	15" ☐	16" ☐		\$410		
	17" ☐	18" ☐	19" ☐	17" ☐	18" ☐	19" ☐				
	20" ☐	21" ☐	22" ☐	20" ☐	21" ☐	22" ☐				
	23" ☐	24" ☐		23" ☐	24" ☐					
Rigid Backrest	Made with 3/8-inch thick ABS					NGNX8	\$150	☐		
HEADREST										
PRODUCT	DESCRIPTION					CODE	PRICE	CHOICE		
 Straight	Multi-Adjustable Straight Headrest Support					AT5115	\$187	☐		
	Symbio Pediatric Headrest Support					AT5450	\$313	☐		
	 Symbio	Standard Pads	W: 7"	H: 4"		AT5000	\$190	☐		
			W: 8"	H: 5"		AT5005		☐		
			W: 9"	H: 6"		AT5010		☐		



ALBERTA AADL ORDER FORM

**AADL MSRP
PRICE ONLY**



NEOX

YOU DIDN'T FIND WHAT YOU WANT ON THIS ORDER FORM?

Describe your need below. Our customer service will evaluate your request and give you a detailed quote.

Notes :