

Order Form

XL5 and XL5ci manual wheelchair

(10 day delivery)

**CANADIAN MSRP
PRICES ONLY**

2023-02-22



ADP Code: WM0001132

Date :	P.O.#:	Account#:
Made for (client) :		
Ordered by :		
Organization:		
Address :		
Phone :	Fax :	
CONFIRM ORDER BY E-MAIL		Yes <input type="checkbox"/> No <input type="checkbox"/>
SUBSCRIBE TO PHYSIPRO NEWSLETTER		Yes <input type="checkbox"/> No <input type="checkbox"/>
YOUR EMAIL ADDRESS		

	Price
XL5 Manual Wheelchair (minimal seat-to-floor height of 13")	\$ 2 655
XL5ci Manual Wheelchair (minimal seat-to-floor height of 11 ½")	\$ 2 655
FRAME COLORS (Visit our website to view colors)	
Glossy Black <input type="checkbox"/> Black Matte <input type="checkbox"/> Charcoal <input type="checkbox"/> White <input type="checkbox"/> Silver <input type="checkbox"/> Secure Blue <input type="checkbox"/> Scarlet Red <input type="checkbox"/> Sunset Orange <input type="checkbox"/> Candy Purple <input type="checkbox"/>	n/c
FRAME	
Standard Folding Mechanism (12" to 20")	n/c
Heavy Duty option including double folding mechanism — ACTIVE USER, SPASTICITY, BARIATRIC (WE SUGGEST THE DOUBLE CROSS-BRACE FROM 19" WIDTH AND 251 POUNDS AND OVER) (WAMF)	\$ 575
SEAT WIDTH	
12" <input type="checkbox"/> 13" <input type="checkbox"/> 14" <input type="checkbox"/> 15" <input type="checkbox"/> 16" <input type="checkbox"/> 17" <input type="checkbox"/> 18" <input type="checkbox"/>	n/c
19" <input type="checkbox"/> 20" <input type="checkbox"/> 21" <input type="checkbox"/> 22" <input type="checkbox"/> 23" <input type="checkbox"/> 24" <input type="checkbox"/> (WAMA)	\$ 275
SEAT DEPTH	
12" <input type="checkbox"/> 13" <input type="checkbox"/> 14" <input type="checkbox"/> 15" <input type="checkbox"/> 16" <input type="checkbox"/> 17" <input type="checkbox"/> 18" <input type="checkbox"/>	n/c
19" <input type="checkbox"/> 20" <input type="checkbox"/> 21" <input type="checkbox"/> 22" <input type="checkbox"/> 23" <input type="checkbox"/> 24" <input type="checkbox"/> (WAMB)	\$ 165
BACK POST	
Back Post Options Straight with push handle 0° <input type="checkbox"/> 8° Bend with push handle <input type="checkbox"/>	n/c
ANGLE ADJUSTABLE BACKREST WITH PUSH HANDLE	
Back Angle 85° <input type="checkbox"/> 90° <input type="checkbox"/> 95° <input type="checkbox"/> 100° <input type="checkbox"/> 105° <input type="checkbox"/> 110° <input type="checkbox"/> 115° <input type="checkbox"/>	n/c
Fold down push handle	\$ 157
BACK HEIGHT SETTING (WITH ADJUSTABLE UPRIGHTS)	
Back Height 16" to 20" Desired Height : _____ "	n/c
Back Height Modification from 12" to 15" and from 21" à 25" Desired Height : _____ "	\$ 95 Pair
DYNAMIC BACKREST	
Dynamic Backrest	\$ 575
ANGLE ADJUSTABLE STROLLER BAR	
Angle adjustable pushhandles * Can not be installed when a Tension Bar is requested (WAMW)	\$ 145

Weight Capacity:
Standard Mechanism Model
250 lb
Double Mechanism Model
350 lb



Dynamic Backrest

				Price
SEAT UPHOLSTERY AND BACK				
SEAT				
Standard Seat Sling	<input type="checkbox"/>			n/c
Rigid (flat) <input type="checkbox"/> Drop Seat 1" <input type="checkbox"/> 1 ½" <input type="checkbox"/> 2" <input type="checkbox"/>	<input type="checkbox"/>			\$ 325
Urethane Cushion 2"	<input type="checkbox"/>			\$ 150
Urethane Cushion 3"	<input type="checkbox"/>			\$ 160
Physiair Cushion (SE0001612/SE0001613)	<input type="checkbox"/>			See OF
Siliko Cushion (SE0001614/SE0001615)	<input type="checkbox"/>			See OF
Contour Insert Cushion (SE0001610/SE0001611)	<input type="checkbox"/>			See OF
Omit	<input type="checkbox"/>			n/c
BACK				
Standard Upholstery	<input type="checkbox"/>			n/c
Omit Backrest	<input type="checkbox"/>			n/c
PREMIUM tension adjustable back (SE0001072)	<input type="checkbox"/>			See OF
HP2 backrest (SE0001071)	<input type="checkbox"/>			See OF
Tension Bar (Recommended with Premium tension adjustable backrest)	<input type="checkbox"/>			\$ 165
Tension Bar with Multiadjustable headrest support mounting fixture	<input type="checkbox"/>			\$235
HEADREST SUPPORT				
Symbio	<input type="checkbox"/>			\$ 313
Multi-Adjustable offset	<input type="checkbox"/>			\$ 209
Multi-Adjustable straight	<input type="checkbox"/>			\$ 187
PAD				
Simple Small (7"x4") <input type="checkbox"/> Medium (8"x5") <input type="checkbox"/> Large (9"x6") <input type="checkbox"/>	<input type="checkbox"/>			\$ 220
Combination Head/Neck Support Pad Small (6"x 4½") <input type="checkbox"/> Medium (7"x5") <input type="checkbox"/> Large (8"x 6") <input type="checkbox"/>	<input type="checkbox"/>			\$ 252
Lateral Adjustment Small (5"x 4½") <input type="checkbox"/> Large (6"x 6¼") <input type="checkbox"/>	<input type="checkbox"/>			\$ 326
ARMREST				
U-TYPE flip back, removable, height adjustable				
XL5 MODEL				
From 7" to 12" Adjustable in ½" increments ½" gap on each side	<input type="checkbox"/>			n/c
Armrest Height Modification Less than 7" <input type="checkbox"/> or over 12" <input type="checkbox"/>	<input type="checkbox"/>			\$ 112 Pair
XL5CI MODEL				
From 8" to 13" Adjustable in ½" increments ½" gap on each side	<input type="checkbox"/>			n/c
Armrest Height Modification Less than 8" <input type="checkbox"/> or over 13" <input type="checkbox"/>	<input type="checkbox"/>			\$ 112 Pair
T-TYPE, REMOVABLE, HEIGHT ADJUSTABLE				
XL5 MODEL				
From 8" to 14" Adjustable in ½" increments ½" gap on each side	<input type="checkbox"/>			n/c
XL5CI MODEL				
From 9 ½" to 15 ½" Adjustable in ½" increments ½" gap on each side	<input type="checkbox"/>			n/c
L-TYPE				
XL5 MODEL				
From 8" to 10" Adjustable in ½" increments ½" gap on each side	<input type="checkbox"/>			n/c
Armrest Height Modification Less than 8" <input type="checkbox"/> More than 10" <input type="checkbox"/>	<input type="checkbox"/>			\$ 112 Pair
XL5CI MODEL				
From 9" to 11" Adjustable in ½" increments ½" gap on each side	<input type="checkbox"/>			n/c
Armrest Height Modification Less than 9" <input type="checkbox"/> More than 11" <input type="checkbox"/>	<input type="checkbox"/>			\$ 112 Pair



Tension bar



Tension bar with headrest mounting fixture



Symbio Offset Straight



Simple Head and Neck support pad



" U " Type



" T " Type



" L " Type

		Price
ARMPAD		
Foam Pad - Desk Length (2,25" x 10")	<input type="checkbox"/>	n/c
Foam Pad - Full Length (2,25" x 14")	<input type="checkbox"/>	n/c
Waterfall Style Pad with Gel - Desk Length (2,75" x 9") <i>Only available with "T" armrest</i>	<input type="checkbox"/>	\$ 256 Pair
Waterfall Style Pad with Gel - Full Length (2,75" x 13,5") <i>Only available with "T" armrest</i>	<input type="checkbox"/>	\$ 256 Pair
Tubular Armpad (Available with L-Type Armrest only)	<input type="checkbox"/>	\$ 15 Pair
3" Armpad Extension Right <input type="checkbox"/> Left <input type="checkbox"/>	<input type="checkbox"/>	\$ 124 Pair
FOOTREST AND ARTICULATING LEGREST		
FOOTREST - SWING AWAY AND ADJUSTABLE IN HEIGHT FROM 14" TO 19"		
60°	<input type="checkbox"/>	n/c
70°	<input type="checkbox"/>	n/c
90°	<input type="checkbox"/>	\$ 149 Pair
Footrest Height Modification Less than 14" <input type="checkbox"/> or over 19" <input type="checkbox"/> <i>Please enter you desired height _____ " (±1/4")</i>	<input type="checkbox"/>	\$ 79 Pair
ELEVATING AND ARTICULATING LEGREST including calf support and standard footplate		
Pair (WAMK)	<input type="checkbox"/>	\$ 545
Singular Legrest Right <input type="checkbox"/> Left <input type="checkbox"/> (WAMK)	<input type="checkbox"/>	\$ 273
14" to 16" <input type="checkbox"/> 17" to 19" <input type="checkbox"/> <i>Desired Length : _____ " Desired Length: _____ "</i>		
CALF SUPPORT (6" X 8")		
Standard Padded <i>Included when ordering elevating legrest</i>	<input type="checkbox"/>	\$ 155 ea.
Standard Padded—With Gel	<input type="checkbox"/>	\$ 225 ea.
Profiled Padded—Standard <i>Included when ordering elevating legrest</i>	<input type="checkbox"/>	\$ 165 ea.
Profiled Padded— With Gel	<input type="checkbox"/>	\$ 235 ea.
FOLDING FOOTPLATE		
Composite flip up footplate, standard size Width 6" Depth 6 ¾"	<input type="checkbox"/>	n/c
Angle and depth adjustable, standard size Width 6" Depth 6 ¾" (WAMJ)	<input type="checkbox"/>	\$ 180 Pair
Angle and depth Adjustment, oversized Width : 6" <input type="checkbox"/> or 7" <input type="checkbox"/> or 8" <input type="checkbox"/> Depth : 9" <input type="checkbox"/> or 10" <input type="checkbox"/> (WAMJ)	<input type="checkbox"/>	\$ 195 Pair
One piece footplate angle, depth adjustable 6" up to 10" Depth <i>Desired depth _____ "</i>	<input type="checkbox"/>	\$ 350 Pair
STRAP		
Heel Support Strap—Adjustable in Length	<input type="checkbox"/>	n/c
Calfrest Support Strap	<input type="checkbox"/>	\$ 120
WHEEL LOCK		
Push to lock	<input type="checkbox"/>	n/c
Pull to lock	<input type="checkbox"/>	\$ 154 Pair
Fixed Extension Handle	<input type="checkbox"/>	n/c
Telescopic Extension Handle	<input type="checkbox"/>	\$ 60 Pair



Armpad



Extension
Handle

		Price
ACCESSORIES		
Positioning Belt—Auto Buckle, 2"	<input type="checkbox"/>	n/c
Positioning Belt—Velcro	<input type="checkbox"/>	n/c
Anti-tip	<input type="checkbox"/>	n/c
Four distinct tie-down securement locations	<input type="checkbox"/>	\$ 95
CASTERS		
Polyurethane 8" x 1 ¼" <input type="checkbox"/>	<input type="checkbox"/>	n/c
Polyurethane 5" x 1 ½" <input type="checkbox"/> 6" x 1 ½" <input type="checkbox"/> 8" x 1 ½" <input type="checkbox"/>	<input type="checkbox"/>	n/c
Polyurethane 4" x 1" <input type="checkbox"/> 5" x 1" <input type="checkbox"/> 6" x 1" <input type="checkbox"/> 7" x 1" <input type="checkbox"/>	<input type="checkbox"/>	\$ 100 Pair
Pneumatic 6" x 1 ¼" <input type="checkbox"/> 8" x 1 ¼" <input type="checkbox"/>	<input type="checkbox"/>	\$ 125 Pair
REAR WHEEL SIZE		
20" <input type="checkbox"/> 22" <input type="checkbox"/> 24" <input type="checkbox"/>		
REAR WHEEL		
Mag Wheel	<input type="checkbox"/>	n/c
Spoke Wheel	<input type="checkbox"/>	n/c
REAR WHEEL TIRE		
Polyurethane	<input type="checkbox"/>	n/c
Standard Pressure <i>Minimum seat-to-floor height is 12" when choosing 20" rear wheel</i>	<input type="checkbox"/>	n/c
High Pressure <i>Minimum seat-to-floor height is 12" when choosing 20" rear wheel</i>	<input type="checkbox"/>	\$ 80 Pair
HANDRIM OPTIONS		
Aluminum Handrim	<input type="checkbox"/>	n/c
Plastic Coated Handrim (WAMO)	<input type="checkbox"/>	\$ 130 Pair
Natural Fit—Standard grip (oval aluminum handrim with thumb piece) Available with spoke wheel only	<input type="checkbox"/>	\$ 320 Pair
1/2" Closer	<input type="checkbox"/>	n/c
Omit	<input type="checkbox"/>	n/c
AXLE		
Threaded	<input type="checkbox"/>	n/c
Quick Release Axle (WAMV)	<input type="checkbox"/>	\$ 92
Extension plates for amputee (integrated to the adjusting plate, position 1, p.6) (WAMT)	<input type="checkbox"/>	\$ 89
OTHER OPTIONS		
Oxygen Tank Holder (WAMX)	<input type="checkbox"/>	\$ 180
Cane Holder—Single	<input type="checkbox"/>	\$ 75
Cane Holder—Double	<input type="checkbox"/>	\$ 85
PR-000 Transparent Spoke guards (WAMP)	<input type="checkbox"/>	\$ 180 Pair
Physipro Spoke-Guards (special design)	<input type="checkbox"/>	\$ 346 Pair
Please visit: http://www.physipro.com Desired model #: _____		



Auto Buckle



Velcro



Polyurethane



Pneumatic



Spoke-guard
(special design)

FRONT SEAT TO FLOOR HEIGHT

SELECT DESIRED HEIGHT

XL5


XL5 CI

Hemi Frame—Short Fork

Hemi Frame—Short Fork

	FRONT WHEEL DIAMETER				
POSITION	4"	5"	6"	7"	8"
A					
B		13 □	13 ½ □		
C	13 □	13 ½ □	14 □	14 ½ □	
D	13 ½ □	14 □	14 ½ □	15 □	15 ½ □

	FRONT WHEEL DIAMETER				
POSITION	4"	5"	6"	7"	8"
A					
B		11 ½ □	12 □		
C	11 ½ □	12 □	12 ½ □	13 □	
D	12 □	12 ½ □	13 □	13 ½ □	14 □




Standard frame—Short Fork

Standard frame—Short Fork

	FRONT WHEEL DIAMETER				
POSITION	4"	5"	6"	7"	8"
A	15 □	15 ½ □			
B	15 ½ □	16 □	16 ½ □		
C	16 □	16 ½ □	17 □	17 ½ □	
D	16 ½ □	17 □	17 ½ □	18 □	18 ½ □

	FRONT WHEEL DIAMETER				
POSITION	4"	5"	6"	7"	8"
A	13 ½ □	14 □			
B	14 □	14 ½ □	15 □		
C	14 ½ □	15 □	15 ½ □	16 □	
D	15 □	15 ½ □	16 □	16 ½ □	17 □




Standard frame—Long Fork

Standard frame—Long Fork

	FRONT WHEEL DIAMETER				
POSITION	4"	5"	6"	7"	8"
A	17 ½ □	18 □	18 ½ □	19 □	19 ½ □
B	18 □	18 ½ □	19 □	19 ½ □	20 □
C	18 ½ □	19 □	19 ½ □	20 □	20 ½ □
D	19 □	19 ½ □	20 □	20 ½ □	21 □


	FRONT WHEEL DIAMETER				
POSITION	4"	5"	6"	7"	8"
A	16 □	16 ½ □	17 □	17 ½ □	18 □
B	16 ½ □	17 □	17 ½ □	18 □	18 ½ □
C	17 □	17 ½ □	18 □	18 ½ □	19 □
D	17 ½ □	18 □	18 ½ □	19 □	19 ½ □




REAR FLOOR TO SEAT HEIGHT TABLE

REAR WHEEL DIAMETER XL5 <u>select desired height</u>				REAR WHEEL DIAMETER XL5ci <u>select desired height</u>			
POSITION	20"	22"	24"	POSITION	20"	22"	24"
A	13 <input type="checkbox"/>	14 <input type="checkbox"/>	15 <input type="checkbox"/>	A	11 ½ <input type="checkbox"/>	12 ½ <input type="checkbox"/>	13 ½ <input type="checkbox"/>
B	13 ½ <input type="checkbox"/>	14 ½ <input type="checkbox"/>	15 ½ <input type="checkbox"/>	B	12 <input type="checkbox"/>	13 <input type="checkbox"/>	14 <input type="checkbox"/>
C	14 <input type="checkbox"/>	15 <input type="checkbox"/>	16 <input type="checkbox"/>	C	12 ½ <input type="checkbox"/>	13 ½ <input type="checkbox"/>	14 ½ <input type="checkbox"/>
D	14 ½ <input type="checkbox"/>	15 ½ <input type="checkbox"/>	16 ½ <input type="checkbox"/>	D	13 <input type="checkbox"/>	14 <input type="checkbox"/>	15 <input type="checkbox"/>
E	15 <input type="checkbox"/>	16 <input type="checkbox"/>	17 <input type="checkbox"/>	E	13 ½ <input type="checkbox"/>	14 ½ <input type="checkbox"/>	15 ½ <input type="checkbox"/>
F	15 ½ <input type="checkbox"/>	16 ½ <input type="checkbox"/>	17 ½ <input type="checkbox"/>	F	14 <input type="checkbox"/>	15 <input type="checkbox"/>	16 <input type="checkbox"/>
G	16 <input type="checkbox"/>	17 <input type="checkbox"/>	18 <input type="checkbox"/>	G	14 ½ <input type="checkbox"/>	15 ½ <input type="checkbox"/>	16 ½ <input type="checkbox"/>
H	16 ½ <input type="checkbox"/>	17 ½ <input type="checkbox"/>	18 ½ <input type="checkbox"/>	H	15 <input type="checkbox"/>	16 <input type="checkbox"/>	17 <input type="checkbox"/>
I	17 <input type="checkbox"/>	18 <input type="checkbox"/>	19 <input type="checkbox"/>	I	15 ½ <input type="checkbox"/>	16 ½ <input type="checkbox"/>	17 ½ <input type="checkbox"/>
J	17 ½ <input type="checkbox"/>	18 ½ <input type="checkbox"/>	19 ½ <input type="checkbox"/>	J	16 <input type="checkbox"/>	17 <input type="checkbox"/>	18 <input type="checkbox"/>

Note - The measures are for reference purposes only. They depend on the wheel diameter, tilt angle and the rear wheel axle location.




REFERENCE SCHEME



A: FLOOR TO SEAT HEIGHT : _____

B: REAR FLOOR TO SEAT HEIGHT: _____

REAR WHEEL POSITION



The positions that are less than 5 become incompatible with a 24" rear wheels and a depth of 16".

ADP LIST CODE	
DEVICE TYPE	DEVICE CODE
Elevating Legrests (pair)	WAMK
MW - Angle Adjustable Footplates (pair)	WAMJ
MW - Heavy Duty Model, Client Weight Exceeds 250 lb	WAMF
MW - Oxygen Tank Holder	WAMX
MW - Seat Depth Required is Greater Than 18"	WAMB
MW - Seat Width Required is Greater Than 18"	WAMA
Plastic Coated Handrims	WAMO
Quick Release Axles (pair)	WAMU
Spoke Protectors (pair)	WAMP
Stroller Handles/Paediatric	WAMW
Quick Releases	WAMV

NOTES